

IUVA News Index

1999 – 2017

This Index has been compiled by the IUVA News Editor, Jim Bolton. Comments should be sent to him at editorinchief@iuva.org.

The Index has been prepared in three sections: *Paper Index* (with Reference Numbers); *Author Index*; and *Subject Index*. The latter two only contain reference numbers. By looking up the Reference Number in the *Paper Index*, you can obtain the specific reference.

Paper Index

Reference

Number	Paper citation
--------	----------------

Volume 1 – 1999, Issue 1

010101 Ultraviolet light - A solution to the *Cryptosporidium* threat? J.L. Clancy and H. B. Wright, 1999, IUVA News, 1(1): 18–22.

Volume 1 – 1999, Issue 3

010301 UV reactor validation / certification, Y.A. Lawryshyn, 1999. IUVA News, 1(3): 4–9.

010302 Ultraviolet light found to be effective against *Cryptosporidium*, T.M. Hargy, 1999. IUVA News, 1(3): 26–28.

Volume 2 – 2000, Issue 1

020101 The status of UV technology in Europe, O. Hoyer, 2000. IUVA News, 2(1): 22–27.

Volume 2 – 2000, Issue 3

020301 The history of UV disinfection in the last 20 years, G. Hunter, 2000. 2(3): 5–7.

020302 Engineering of UV disinfection systems for drinking water, J.P. Malley Jr., 2000. IUVA News, 2(3): 8–12.

020303 UV disinfection for drinking water, J. Cosman and H. Wright 2000. IUVA News, 2(3): 14–17.

020304 Knowledge gaps: What is required for reliable UV application? F. Soroushian, 2000. IUVA News, 2(3): 20–22.

020305 Dose requirements for UV disinfection, H.B. Wright, 2000. IUVA News, 2

020306 UV curing as we enter the New Millennium, D. Harbourne, 2000. IUVA News, 2(3): 35–37.

Volume 2 – 2000, Issue 5

020501 Differences between calculated and biosimetrically measured fluences in UV plants for drinking water disinfection - practical experiences with the Austrian National Standard M 5873-1, R. Sommer, A. Cabaj, W. Pribil, T.M. Haider and G. Hirschmann, 2000. IUVA News, 2(5): 14–18.

020502 UV disinfection in drinking water supply, O. Hoyer, 2000. IUVA News, 2(5): 22–25.

Volume 2 – 2000, Issue 6

020601 Experiences with UV disinfection at Helsinki water, E. Toivanen, 2000. IUVA News, 2(6): 4–8.

020602 UV disinfection in New Zealand, S. Warne, 2000. IUVA News, 2(6): 10–14.

Volume 3 – 2001, Issue 3

030301 UV lamp validation via a bioassay equals reality, G.E. Whitby, B. Sotirakos, and B. Mellor, 2001. IUVA News, 3(3): 12–14.

Volume 3 – 2001, Issue 5

030501 UVGI systems for air and surface disinfection, W.J. Kowalski and D. Witham, 2001. IUVA News, 3(5): 4–7.

Volume 3 – 2001, Issue 6

030601 Understanding Reduction Equivalent Dose with UV disinfection reactors, H.B. Wright, 2001. IUVA News, 3(6): 16–20.

Volume 4 – 2002, Issue 1

040101 Application of a medium pressure UV system for the treatment of N-Nitrosodimethylamine, W. Lem, 2002. IUVA News, 4(1): 14–19.

Volume 4 – 2002, Issue 2

040201 UV curing, R.W. Stowe, 2002. IUVA News, 4(2): 4–9.

Volume 4 – 2002, Issue 3

040301 UV treatment of a groundwater supply – from piloting to start-up experience in the town of Norfolk, MA, R.G. Protasowicki and J.P. Malley, Jr., 2002. IUVA News, 4(3): 4–7.

040302 Advanced Oxidation Treatment of Organic Pollutants in Drinking Water

Volume 4 – 2002, Issue 4

040401 Multiple applications of UV in heating, ventilation and air conditioning (HVAC) systems, D. Witham and D. Jones, 2002. IUVA News, 4(4): 4–5.

040402 A safer germicidal ultraviolet (UV) air disinfection proposal, I. Gobulukoglu, 2002. IUVA News, 4(4): 14–17.

Volume 4 – 2002, Issue 5

040501 Pulsed UV to sterilize food packaging and to preserve food stuffs, A. Wekhof, 2002. IUVA News, 4(5): 4–7.

040502 Effectiveness of UV disinfection of juice, T. Koutchma, 2002. IUVA News, 4(5): 21–23.

Volume 4 – 2002, Issue 6

040601 Factors affecting the sizing and operation of a UV unit disinfecting wastewater, G.E. Whitby, 2002. IUVA News, 4(6): 6–12.

040602 UV technology continues to march on for municipal wastewater disinfection in the Americas, B.W. Dussert, 2002. IUVA News, 4(6): 15–17.

Volume 5 – 2003, Issue 1

050101 Applications of ultraviolet light to blood products, D.S. Pepper, 2003. IUVA News, 5(1): 4–5.

050102 UV cleaning systems performance validation, M. Oliver, 2003. IUVA News, 5(1): 8–12.

050103 Municipal wastewater treatment for reuse, A. Reid and J. Mielcke, 2003. IUVA News, 5(1): 17–21.

050104 Validation of processing technologies for juices. T. Koutchma, 2003. IUVA News, 5(1): 22–23.

Volume 5 – 2003, Issue 2

050201 New advances in UV water treatment, R. Hallett, 2003. IUVA News, 5(2): 4–5.

050202 Efficacy of low-pressure ultraviolet irradiation for inactivating *Cryptosporidium parvum* oocysts in turbid water, T. Hirata, S. Morita, H. Sugimoto, H. Tazizawa and T. Endo, 2003. IUVA News, 5(2): 8–15.

Volume 5 – 2003, Issue 3

050301 Reduction rates of pathogens and fecal indicators after UV disinfection at the Bad Tölz (Germany) wastewater treatment plant, S. Huber and W. Popp, 2003. IUVA News, 5(3): 4–7.

050302 Trouble-shooting UV systems – What to do when the lights go out? G. Hunter and J. Long, 2003. IUVA News, 5(3): 8–12.

050303 Low- and medium-pressure UV performance verification, J. Oppenheimer, T. Gilloghy, J. DeCarolis, M. Kumar and S. Adham, 2003. IUVA News, 5(3): 13–15.

Volume 5 – 2003, Issue 4

050401 The importance of the UV Disinfection Guidance Manual to the water industry, C. Cotton, 2003. IUVA News, 5(4): 6–7.

050402 An overview of the proposed Long Term 2 Enhanced Surface Water Treatment Rule and Stage 2 Disinfectants and Disinfection Byproducts Rule, B. Macler, 2003. IUVA News, 5(4): 8–12.

050403 An overview of the UV Disinfection Guidance Manual, L. Passantino and M. Yonkin, 2003. IUVA News, 5(4): 13–16.

050404 Comparison of safety factor approaches for UV and chemical disinfection, H. Wright and D. Greene, 2003. IUVA News, 5(4): 17–22.

050405 Validation facilities for drinking water UV systems, K. Scheible, H. Wright, A. Cabaj and O. Hoyer, 2003. IUVA News, 5(4): 24–28.

050406 Canadian perspective on UV drinking water disinfection and impact of US Environmental Protection Agency UV Disinfection Guidance Manual, E. Edwards and I.P.D Wright, 2005. IUVA News, 5(4): 29–32.

050407 The links between water and wastewater UV disinfection: The past, present and future, S. Jeyanayagam, 2005. IUVA News, 5(4): 33–35.

- 050408 A compilation of manufacturers' perspectives on the requirements and recommendations in the UVDGM, 2005. IUVA News, 5(4): 36–38.
- 050409 A manufacturers' perspectives on the requirements and recommendations in the UV Disinfection Guidance Manual (UVDGM), L. Gowman, 2005. IUVA News, 5(4): 39–41.
- 050410 Outside perspectives: consultants' review of the draft UVDGM, P. Swaim, J. Oppenheimer, K.-P. Chiu and H. Mackey, , 2005. IUVA News, 5(4): 42–44.
- 050411 The Water Utility perspective: LT2 and UVDGM leave several important issues in the dark, R. Hubel and C.R. McKeen, 2005. IUVA News, 5(4): 45–46.
- 050412 American Water Works Association Research Foundation's impacts on the UV disinfection regulatory process, A. Liges, 2005. IUVA News, 5(4): 47–48.

Volume 6 – 2004, Issue 1

- 060101 Upper room ultraviolet (UV) air disinfection: where are we and where are we going? E.A. Nardell, 2004. IUVA News, 6(1): 7–11.
- 060102 The influence of relative humidity on the UV susceptibility of airborne gram negative bacteria, L.A. Fletcher, 2004. IUVA News, 6(1): 12–19.
- 060103 Proposed standards and guidelines for UVGI air disinfection, W.J. Kowalski, 2004. IUVA News, 6(1): 20–25.
- 060104 Understanding UV monitoring for air and water UV treatments, J. Goin, A. Skirda and E. Tohktuev, 2004. IUVA News, 6(1): 29–35.
- 060105 Application of medium-pressure UV for disinfection in an air handling system, S.E. Speer, 2004. IUVA News, 6(1): 36–37.

Volume 6 – 2004, Issue 2

- 060201 *Cryptosporidium* risk analysis and UV disinfection system reliability, M.W. LeChevallier and R.E. Hubel, 2004. IUVA News, 6(2): 9–14.
- 060202 Finished water disinfection with UV light: overview of validation studies at American Water, Z. Bukhari and M.W. LeChevallier, 2004. IUVA News, 6(2): 15–20.
- 060203 The stability of bacteriophage MS2 used in a UV reactor validation study, K. Fallon, T. Hargy and J. Clancy, 2004. IUVA News, 6(2): 21–24.
- 060204 New York City UV - The light before the end of the tunnel, D. Potorti, C.R. Schulz, R.J. Fahey, M. Borsykowsky, D.E, Keesler and P.D. Smith, 2004. IUVA News, 6(2): 29–32.

Volume 6 – 2004, Issue 3

- 060301 *Cryptosporidium* occurrence in wastewaters and control using UV disinfection, J.L. Clancy, K.G. Linden and R.M. McCuin 2004. IUVA News, 6(3): 10–14.
- 060302 The history of UV and wastewater, G.E. Whitby and K. Scheible, 2004. IUVA News, 6(3): 15–26.
- 060303 Fundamentals of ultraviolet treatment - terms and definitions do matter! J.R. Bolton, 2004. IUVA News, 6(3): 27–31.

Volume 6 – 2004, Issue 4

- 060401 UV sources – basics, properties and applications, W. Heering, 2004. IUVA News, 6(4): 7–13.

- 060402 Application of UV in North America and USEPA Guidance Manual for UV Disinfection, R.A. Hulsey, H.E. Mackey and J.J. Neemann, 2004. IUVA News, 6(4): 14–19.
- 060402 USA and Europe: two different worlds of UV for drinking water disinfection, A. Kolch, 2004. IUVA News, 6(4): 20–23.
- 060403 UV drinking water disinfection – requirements, testing and surveillance: exemplified by the Austrian National Standards M 5873-1 and M 5873-2, R. Sommer, A. Cabaj, T. Haider and G. Hirschmann, 2004. IUVA News, 6(4): 27–35.

Volume 7 – 2005, Issue 1

- 070101 Light and environmental chemistry: influence of changing solar UV radiation on aquatic photoreactions, R.G. Zepp, 2005. IUVA News, 7(1): 9–14.
- 070102 A specular model for UVGI air disinfection systems, W.J. Kowalski, W.P. Bahnfleth and R.G. Mistrick, 2005. IUVA News, 7(1): 19–26.

Volume 7 – 2005, Issue 2

- 070201 UV disinfection of air – some remarks, A.V. Krasnochub, 2005. IUVA News, 7(2): 9–13.
- 070202 Drinking water regulations and their impacts on small UV systems, M. Lubitz, 2005. IUVA News, 7(2): 15–20.
- 070203 Advanced Oxidation for the control of pesticides at the PWN water treatment plant in North Holland, J. Kruithof, 2005. IUVA News, 7(2): 21–24.
- 070204 An Update on Optical Radiation Safety in Europe, F.P. Wieringa and A.M.T.I. Vermeulen, 2005. IUVA News, 7(2): 25–29.

Volume 7 – 2005, Issue 3

- 070301 How can IUVA help small water systems, J.P. Malley, Jr., 2005. IUVA News, 7(3): 9–12.
- 070302 Weighted fluence-based parameters for assessing UV and UV/H₂O₂ performance and transferring bench-scale results to full-scale water treatment reactor models, C.M. Sharpless, 2005. IUVA News, 7(3): 13–18.
- 070303 Accurate measurement of UV lamp output, M. Sasges and J. Robinson, 2005. IUVA News, 7(3): 21–25.

Volume 7 – 2005, Issue 4

- 070401 Applications and efficacy of UV light for food, T. Koutchma and C. Stewart, 2005. IUVA News, 7(4): 11–15.
- 070402 Mercury-free vacuum-(VUV) and UV excilamps: lamps of the future? T. Oppenländer and E. Sosnin, 2005. IUVA News, 7(4): 16–20.
- 070403 Ultraviolet technology in water reclamation from secondary effluent: A perspective from the tropical environment, R. Xie, 2005. IUVA News, 7(4): 21–25.
- 070404 Design and construction of a large ultraviolet (UV) disinfection facility treating unfiltered water, S. Bolongaro, P. Malone and I. Wright, 2005. IUVA News, 7(4): 26–30.

Volume 8 – 2006, Issue 1

- 080101 Finding the optimum UV disinfection location in a large water treatment plant, J. Awad, R. Kashinkunti, N. Winnike and J. Malley, 2006. IUVA News, 8(1), 11–17.
- 080102 Integrating ozone and UV disinfection processes at the Greater Vancouver Water District's Coquitlam Source, L. Benjamin, L. Landry and P. Wobma, 2006. IUVA News, 8(1): 20–31.
- 080103 UV-lamps for disinfection and Advanced Oxidation – lamp types, technologies and applications, S. Schalk, V. Adam, E. Arnold, K. Brieden, A. Voronov and H.-D. Witzke, 2006. IUVA News, 8(1): 32–37.
- 080104 UV dose required to achieve incremental log inactivation of bacteria, protozoa and viruses, G. Chevretils, E. Caron, H. Wright, G. Sakamoto, P. Payment, B. Barbeau and B. Cairns, 2006. IUVA News, 8(1), 38–45.

Volume 8 – 2006, Issue 2

- 080201 Equivalent public health protection? A comparison of chlorine and UV for disinfection of reclaimed water, A. Salveson, R. Sakaji, B. Narayanan and R. Cushing, 2006. IUVA News, 8(2), 12–15.
- 080202 An overview of UV-based Advanced Oxidation Processes for drinking water treatment, S.R. Sarathy and M. Mohseni, 2006. IUVA News, 8(2): 16–27.
- 080203 Five frequently asked questions about UV safety, F.P. Wieringa, 2006. IUVA News, 8(2): 28–32.

Volume 8 – 2006, Issue 3

- 080301 UV-oxidation: municipal case studies and new applications, M. Leach, A. Festger, A. Royce and C. Williamson, 2006. IUVA News, 8(3): 11–16.
- 080302 UV equipment procurement and bid document preparation, J. Anderson, C. Eaton, and H. Wright, 2006. IUVA News, 8(3): 19–25.
- 080303 Technical note: need for a “Normalization” correction for cosine emitter UV irradiance models, M. Sasges, 2006. 8(3): 26.

Volume 8 – 2006, Issue 4

- 080401 Quartz lamp sleeve fouling and cleaning system evaluation at the Albany, New York Loudonville UV treatment facility, I.W. Wait, M. Yonkin and E.R. Blatchley III, 2006. IUVA News, 8(4): 11–14.

Volume 9 – 2007, Issue 1

- 090101 The final UV Disinfection Guidance Manual: operations and maintenance summary, J. Collins, L. Passantino and C. Cotton, 2007. IUVA News, 9(1): 11–15.
- 090102 Lagrangian actinometry using dyed microspheres – A new UV validation method, E.R. Blatchley, III, C. Shen and O.K. Scheible, 2007. IUVA News, 9(1): 17–21.
- 090103 A state perspective on the USEPA UV Disinfection Guidance Manual, S. Deem, D. Dziejwski, M. Montysko and R.H. Sakaji, 2007. IUVA News, 9(1): 22–26.
- 090104 Overview of validation, H. Wright, D. Gaithuma and E.D. Mackey, 2007. IUVA News, 9(1): 27–31.

090105 The impacts of the UVDGM on large systems, P.D. Swaim, 2007. IUVA News, 9(1): 32–33.

Volume 9 – 2007, Issue 2

090201 UV light emitting diodes – their applications and benefits, T. Bettles, S. Schujman, J.A. Smart, W. Liu and L. Schowalter, 2007. 9(2): 11–15.

090202 UV disinfection of drinking water – the new DVGW Work Sheet 294 Parts 1 – 3, A. Kolch, 2007. IUVA News, 9(2): 17–20.

Volume 9 – 2007, Issue 3

090301 UV disinfection for Class A water recycling, J. Poon, A. Keegan, D. Deere, A. Davison and P. Monis, 2007. IUVA News, 9(3): 15–19.

090302 UV process and fouling testing at trickling filter plant: key factors in UV design for trickling filter effluent, A. Gilley, J. Foster, G. Hunter, D. Cambridge and L. Botero, 2007. IUVA News, 9(3): 24–28.

090401 Bioassays for UV systems – where do the risks start? O. Lawal and R. Bemus, 2007. IUVA News, 9(4): 13–18.

Volume 9 – 2007, Issue 4

090402 Challenges in implementing enhanced disinfection: negotiating operational flexibility for the City of Guelph's upgraded water supply system, D. Mutti, H. Anderson and B. Pett, 2007. 9(4): 19–24.

090403 A guideline for UV disinfection against *Cryptosporidium* in Japan, K. Oguma, M. Otaki, and N. Kamiko, 2007. IUVA News, 9(4): 25–26.

Volume 10 – 2008, Issue 1

100101 Violins, bows and UV light, M. Yeats, 2008. IUVA News, 10(1): 7–8.

100102 Assessing the risk of mercury from on-line UV lamp breaks, H. Borchers, A. Fuller and J.P. Malley, Jr., 2008. IUVA News, 10(1): 9–13.

100103 Proposed method for measurement of the output of monochromatic (254 nm) low pressure UV lamps, O. Lawal, B. Dussert, C. Howarth, K. Paltzer, M. Sages, J. Muller, E. Whitby, R. Stowe, V. Adam, D. Witham, S. Engel, P. Posy and A. van de Pol, 2008. IUVA News, 10(1): 14–19.

Volume 10 – 2008, Issue 2

100201 Validating, controlling and operating New York City's Catskill/Delaware UV water disinfection facility, S. Farabaugh, M. Valade, G.R. Kroll and D.E. Keesler 2008. IUVA News, 10(2): 7–14.

100202 Advanced Oxidation Process basics and emerging applications in water treatment, J.P. Malley, Jr., 2008. IUVA News, 10(2): 15–19.

100203 Power quality for water treatment plants. M. Tremblay, 2008. IUVA News, 10(2): 20–30.

Volume 10 – 2008, Issue 3

100301 UV validation for wastewater applications: Is a uniform protocol possible? O.K. Scheible, 2008. IUVA News, 10(3): 13–18.

- 100302 UV process and fouling testing at trickling filter plant: key factors in UV design for trickling filter effluent, A. Gilley, J. Foster, G. Hunter and L. Botero, 2008. *IUVA News*, 10(3): 19–22.
- 100303 Biodosimetry of a full-scale UV disinfection system to achieve regulatory approval for wastewater reuse, B. Ferran, R.F. Kelly, S. Jin, O.K. Scheible and S. Chengyue, 2008. *IUVA News*, 10(3): 23–32.

Volume 10 – 2008, Issue 4

- 100401 UV/H₂O₂ treatment: an essential barrier in a multi barrier approach for organic contaminant control, B.J. Martijn, P.C. Kamp and J.C. Kruithoff, 2008. 10(4): 12–19.
- 100402 Lagrangian actinometry's role in UV reactor validation and optimization, E.R. Blatchley III, O.K. Scheible and C. Shen, 2008. *IUVA News*, 10(4): 20–23.
- 100403 UV light for processing food, T. Koutchma, 2008. *IUVA News*, 10(4): 24–29.
- 100404 UVGI for hospital applications, W. Kowalski, 2008. *IUVA News*, 10(4): 30–34.

Volume 11 – 2009, Issue 1

- 110101 UV in aquatics: wellness for the nose – breakdown of chloramines in public baths, Heraeus, 2009. *IUVA News*, 11(1): 13–14.
- 110102 UV disinfection in Moscow Metro Public Transport Systems, S. Kostyuchenko, A. Khan, S. Volkov and H. Giller, 2009. *IUVA News*, 11(1): 16–23.
- 110103 UV/H₂O₂ treatment of drinking water: impacts on NOM characteristics. S.R. Sarathy and M. Mohseni, 2009. *IUVA News*, 11(1): 24–28.

Volume 11 – 2009, Issue 2

- 110201 Disinfection alternatives and sustainability: energy optimization, disinfection efficiency, and sustainability, G. Hunter, L.W. Casson and J. Marriott, 2009. *IUVA News*, 11(2): 29–37.
- 110202 A genomic model for predicting the ultraviolet susceptibility of viruses, W.J. Kowalski, W.P. Bahnfleth and M.T. Hernandez, 2009. *IUVA News*, 11(2): 15–28.

Volume 11 – 2009, Issue 3

- 110301 A new role for UV? Shelf life extension of plant foods by UV-induced effects, G. Shama, 2009. *IUVA News*, 11(3): 14–19.
- 110302 Impact of UV disinfection combined with chlorination/chloramination on the formation of nitrogenous disinfection byproducts in drinking water, A.D. Shah, A.A. Dotson, K.G. Linden, H.S. Weinberg and W.A. Mitch, 2009. *IUVA News*, 11(3): 20–26.

Volume 11 – 2009, Issue 4

- 110401 A kinetic model for the degradation of Natural Organic Matter during the ultraviolet hydrogen peroxide Advanced Oxidation Process, S.R. Sarathy, M. Bazri and M. Mohseni, 2009. *IUVA News*, 11(4): 16–20.
- 110402 Approach for achieving sustainable operation of the 2-bgd Catskill/Delaware UV disinfection facility, M.T. Valade, S. Farabaugh, P.D. Smith and G. Kroll, 2009. *IUVA News*, 11(4): 21–27.

- 110403 Effect of UV radiation on the viability of Cyanobacteria (Blue-green algae), P. Hobson, C. Fazekas, A. Keegan and M. Burch, 2009. *IUVA News*, 11(4): 28–30.
- 110404 Novel UV LED Advanced Oxidation system for disinfection and removal of organic and heavy metal contaminants in water, T. Hawkins and M. Owen, 2009. *IUVA News*, 11(4): 31–35.

Volume 12 – 2010, Issue 3

- 120301 UV disinfection of water in horticultural applications, N. Enthoven, 2010. *IUVA News*, 12(3): 14–16.
- 120302 Ultraviolet disinfection effectively controls oilfield sulfate reducing bacteria, O. Lawal, K. Shannon, L. Gloe, K. King, W. Warren, T. Hargy and F. Fong, 2010. *IUVA News*, 12(3): 17–20.
- 120303 Development of a protocol for the determination of the ultraviolet sensitivity of microorganisms suspended in air, Q.S. Ke, S.A. Craik and J.R. Bolton, 2010. *IUVA News*, 12(3): 22–26.

Volume 12 – 2010, Issue 4

- 120401 Practical considerations of applying UV technology for reuse water disinfection, W. Lem and J. Muller, 2010. *IUVA News*, 12(4): 14–16.
- 120402 A smart way to validate UV systems for reuse applications, M. Boeker, A. Salveson, M. Rapaka and R. Bemus, 2010. *IUVA News*, 12(4): 17–20.
- 120403 Safety of post-UV disinfection of wastewater: bio-stability in reuse water pipelines, M. Guo and H. Hu, 2010. *IUVA News*, 12(4): 21–24.
- 120404 Bidding, testing, and start-up of a reuse UV disinfection system in Florida, J.M. Edeback and M. Mann, 2010. *IUVA News*, 12(4): 25–33.

Volume 13 – 2011, Issue 1

- 130101 Inactivation of pathogenic and heat resistant microorganisms in milk by a non-thermal UV treatment system, R. van Wyk and P.A. Gouws, 2011. *IUVA News*, 13(1): 13–16.
- 130102 Filtration and UV treatment for ships' ballast water management – water quality challenges and UV-dose requirements, H. Liltved, A. Tobiessen. S. Delacroix, H. Heiaas and I. Tryland, 2011. *IUVA News*, 13(1): 17–21.
- 130103 Balancing risk versus benefit in the selection of equipment for Portland's Bull Run UV disinfection facility, B. Townsend, C. Talbot, H. Wright, D. Peters and T. Phelan, 2011. *IUVA News*, 13(1): 22–29.

Volume 13 – 2011, Issue 2

- 130201 Application of UV disinfection to achieve Enterococci removal in a trickling filter plant, G. Hunter, A. Kliever, E. Kobylinski, C. Klinger and M. Canerra, 2011. *IUVA News*, 13(2): 15–17.
- 130202 UV, not just for *Cryptosporidium* any more, P.D. Swaim, A. Myers, T. Elliott, L. Voytko, B. Jacobs and J. Malley Jr., 2011. *IUVA News*, 13(2): 18–24.

- 130203 Uniform protocol for wastewater UV validation applications, E. Whitby, O. Lawal, P. Ropic, S. Shmia, B. Ferran and B. Dussert, 2011. IUVA News, 13(2): 26–33.

Volume 13 – 2011, Issue 3

- 130301 UV disinfection of storm water overflows and low UVT wastewaters, J. Muller and W. Lem, 2011. IUVA News, 13(3): 13–17.
- 130302 Medium pressure treatment of ballast water, Y. Yoon, Y. Jung, T.S. Pyo, S.-T. Lee, K. Shin and J.-W. Kang, 2011. IUVA News, 13(3): 18–22.
- 130303 Drinking water UV operation without on-line UVT monitoring: the default UVT and sensor setpoint approaches to validation, J. Bandy, H. Wright, D. Gaithuma, O. Lawal and S. Larner, 2011. IUVA News, 13(3): 23–28.

Volume 13 – 2011, Issue 4

- 130401 Using UV dose response for scale up of UV/AOP reactors, K. Bircher, 2011. IUVA News, 13(4): 13–21.
- 130402 An integrated UV/ozone reactor with ozone generated from the same UV lamp, H. Liao, J.Y. Fang, C. Shang, M.Z. Zeng, Z. Chen, M.L. Ni and W Liu, 2011. IUVA News, 13(4): 22–26.
- 130403 Low pressure UV treatment for barnacle growth control under open-sea conditions, R. Xie and M. Gomez, 2011. IUVA News, 13(4): 27–32.

Volume 14 – 2012, Issue 1

- 140101 New EPA guidelines highlight UV as part of the reuse solution, K. Bell and A. da Silva, 2012. IUVA News, 14(1): 9–12.
- 140102 Sensor-based control - the way for safe, energy-efficient UV system operation, M. Newberry, 2012. IUVA News, 14(1): 13–16.
- 140103 Understanding evaluation, testing and certification of UV systems for drinking water and recreational water treatment, R. Martin, 2012. IUVA News, 14(1): 17–21.
- 140201 Wastewater UV disinfection systems – lessons learned during performance testing, C.D. Charnas, K.Y. Bell, D. Adams, J. Chambers, D. Cohrs, D. Hammer and P. Schmidt, 2012. IUVA News, 14(2): 14–19.

Volume 14 – 2012, Issue 2

- 140202 UV LEDs for disinfection, C.K. Bowker, S.M. Alpert, M. Shatalov, O. Bilenko, I. Gaska, Y. Bilenko, R. Gaska and J.J. Ducoste 2012. 14(2): 20–27.

Volume 14 – 2012, Issue 4

- 140401 UV lamp temperature characteristics, Z. He, 2012. IUVA News, 14(4): 14–17.
- 140402 Low wavelength medium-pressure UV disinfection – communication update, K. Bell and O. Lawal, 2012. IUVA News, 14(4): 18–19.
- 140403 Mobile UV disinfection: a bright spot in the battle against hospital acquired infections, S. Guzman, 2012. IUVA News, 14(4): 22–28.
- 140404 Ultraviolet germicidal irradiation in building air-handling systems: state-of-the-art, S.L. Miller and J. Luongo, 2012. IUVA News, 14(4): 29–32.

Volume 15 – 2013, Issue 1

- 150101 UV disinfection knowledge base, J. Osgood and K. Bell, 2013. IUVA News, 15(1): 23–24.
- 150102 Ultraviolet germicidal irradiation and healthcare, M. Clancy, 2013. IUVA News, 15(1): 25–26.
- 150103 Keeping the chloramine monster out of an indoor aquatics center, J. Psaroudis, 2013. IUVA News, 15(1): 27–28.

Volume 15 – 2013, Issue 2

- 150201 Influence of quartz glass properties on UV-performance of sleeves for systems: working with medium-pressure mercury lamps, E. Arnold and V. Adam, 2013. IUVA News, 15(2): 14–16.
- 150202 Synergism of low-pressure UV and chlorine for water disinfection, S. Mesele, B. Haule, G. Ferrero, S.G. Salinas-Rodriguez, L. Bachert, P. Buijs, J.C. Kruithof and M.D. Kennedy, 2013. IUVA News, 15(2): 17–20.
- 150203 Investigation of UV-TiO₂ photocatalysis and its mechanism on *Bacillus subtilis* spores inactivation, Yongi Zhang, Yiqing Zhang and L. Zhou, 2013. IUVA News, 15(2): 20–26.
- 150204 Define the optimal operating conditions for a UV reactor through CFD simulation, F. Solari, R. Montanari, D. Marchini and M. Armenzoni, 2013. IUVA News, 15(2): 30–41.

Volume 15 – 2013, Issue 3

- 150301 Early adoption of UV-C Light Emitting Diode technology for water disinfection, P. Batoni, J.G. Pagan, T.R. Harris, O. Lawal, K.G. Linden, S. Bartow and S. Beck, 2013. IUVA News, 15(3): 18–22.
- 150302 Combined life cycle assessment and life cycle costing of UV-based treatment of emerging contaminants, E. Rokhina, T. Singh, M. Curran and R. Suri, 2013. IUVA News, 15(3): 23–32.
- 150303 Optimizing efficiency of low-pressure lamp UV systems, T.T.O. Koehorst and G. van Eerden, 2013. 15(3): 33–35.

Volume 15 – 2013, Issue 4

- 150404 An insider's guide to UV treatment for swimming pools and spray pads – regulations, technologies, and configurations, J.C. Psaroudis, R.S. Banker and K. Kerschner 2013. IUVA News, 15(3): 36–40

Volume 16 – 2014, Issue 1

- 160101 UVC-ultraviolet air treatment, C. Lariviere and J. Stines, 2014. 16(1): 14–15.
- 160102 The one and only MS2 UV dose response curve, T. Hargy, 2014. IUVA News, 16(1): 16–19.
- 160103 10 years of applied research to optimize pre-treatment and post-treatment of the MP UV/H₂O₂ process at water treatment plant Andijk, J.C. Kruithof, B.J. Martijn, A.L. Fuller, R. Hughes and J.P. Malley Jr., 2014. IUVA News, 16(1): 20–25.

- 160104 Influence of effluent organic matter on the hydroxyl scavenging capacity of wastewater effluents, J.-A. Grant and R. Hofmann, 2014. *IUVA News*, 16(1): 26–27.
- 160105 Sucralose as a hydroxyl radical probe, O. Keen, 2014. *IUVA News*, 16(1): 27–27.
- 160106 Introduction of a mini-fluidic photoreaction system, M. Li, W. Li, J.R. Bolton and Z. Qiang, 2014. *IUVA News*, 16(1): 28–28.

Volume 16 – 2014, Issue 2

- 160201 Issues and opportunities with UV-C-based room disinfection products, P.E. Gordon, 2014. *IUVA News*, 16(2): 15–16.
- 160202 Comparative evaluation of the removal characteristic of ibuprofen by UV/H₂O₂ and UV/S₂O₈²⁻ processes, M. Kwon, S. Kim, Y. Yoon, T.-M. Hwang and J.-W. Kang, 2014. *IUVA News*, 16(2): 17–19.
- 160203 Ultraviolet light effects on patulin mycotoxin in foods, Y. Zhu and T. Koutchma, 2014. *IUVA News*, 16(2): 20–21.
- 160204 Is scale-up applicable for modular UV chambers in drinking water applications? C. Shen, O.K. Scheible and P. Posy, 2014. *IUVA News*, 16(2): 22–23.

Volume 16 – 2014, Issue 4

- 160405 Expanding the role of UV into ballast water treatment, B. Allan, 2014. *IUVA News*, 16(2): 24–28.

Volume 17– 2015, Issue 1

- 170101 Protocol for the determination of fluence (UV dose) using a low-pressure or low-pressure high-output UV lamp in bench-scale collimated beam ultraviolet experiments, J.R. Bolton, S.E Beck and K.G. Linden, 2015. *IUVA News*, 17(1): 11–16.
- 170102 Balancing cost-effectiveness and conservatism in UV disinfection design, T. Elliott, P. Swaim, K. Ervin and J. Zalla, 2015. *IUVA News*, 17(1): 17–20.
- 170103 Coming of age - UV-C LED technology update, J. Pagan and O. Lawal, 2015. *IUVA News*, 17(1): 21–24.

Volume 17– 2015, Issue 2

- 170201 Proposed testing protocol for measurement of UV-C LED lamp output, J. Pagan and O. Lawal, 2015. *IUVA News*, 17(2): 7–7.
- 170202 Yikes! what the UVDGM does not address on UV disinfection, H. Wright, M. Heath and J. Bandy, 2015. *IUVA News*, 17(2): 12–18.
- 170203 Calculating UV dose for UV/AOP reactors using dose/log as a water-quality metric, K. Bircher, 2015. *IUVA News*, 17(2): 19–24.
- 170204 UV treatment: a solution for small community water supplies? K. Oguma and M. Mohseni, 2015. *IUVA News*, 17(2): 25–27.

Volume 17– 2015, Issue 3

- 170301 Are antibiotic-resistant bacteria a new challenge to disinfection? M.-T. Guo, 2015. *IUVA News*, 17(3): 16–17.
- 170302 Testing and certification of UV for point of use (POU) and point of entry (POE) drinking water treatment, A. Andrew, 2015. *IUVA News*, 17(3): 19–22.

Volume 18– 2016, Issue 1

- 180101 Round robin test of the IUVA UV lamp efficiency testing protocol (revised), J.R. Bolton and M.J. Santelli, 2016. IUVA News, 18(1): 12–18.
- 180102 The importance of developing a standardized procedure for the operation and characterization of UV-LEDs, A. Kheyrandish, M. Mohseni and F. Taghipour, 2016. IUVA News, 18(1): 20–21.

Volume 18– 2016, Issue 2

- 180201 World Congress regulatory workshop: an introduction, L. Gowman, B. Dussert, and S. Alpert, 2016. IUVA News, 18(2): 5–5.
- 180202 UV treatment of ballast water: market, regulations, validation test methods, K. Bircher, 2016. IUVA News, 18(2): 6–10.
- 180203 Status of EPA development of new ambient water quality criteria for bacteriophage, K.Y. Bell and A. da Silva, 2016. IUVA News, 18(2): 12–15.
- 180204 The critical role of UV in meeting pathogen and pollutant targets for IPR and DPR applications, A. Parker and A. Salveson, 2016. IUVA News, 18(2): 16–19.

Volume 18– 2016, Issue 3

- 180301 Fluence (UV dose) required to achieve incremental log inactivation of bacteria, protozoa, viruses and algae, A.H. Malayeri, M. Mohseni, B. Cairns and J.R. Bolton, 2016. IUVA News, 18(3): 4–6.
- 180302 Performance is the key: how an initial failure turned into success, A. Irigoyen, 2016. IUVA News, 18(3): 8–11.
- 180303 Comment on ‘UV disinfection induces a VBNC state in *Escherichia coli* and *Pseudomonas aeruginosa*’, E. Blatchley III, K. Oguma and R. Sommer, 2016. IUVA News, 18(3): 12–16.
- 180304 Development of a novel control philosophy for UV AOPs in S. Korea, J. Scheideler, K.-H. Lee, J. Gebhardt and M. Fassbender, 2016. IUVA News, 18(3): 17–19.

Volume 18– 2016, Issue 4

- 180401 UV antimicrobial devices used to combat HAIs in medical facilities: Is there a need to establish voluntary industry efficacy standards for their use?, T.E. Cowan, 2016, IUVA News 18(4): 4–8.
- 180402 Minimizing collimated beam uncertainty, S. Verhoeven, IUVA News 18(4): 9–18.

Volume 19– 2017, Issue 1

- 190101 Lessons learned from UV system performance audits for reuse applications, T. Brooks, H. Wright, A. Salveson and M. Heath, 2017, IUVA News 19(1): 4–8.
- 190102 Method for the measurement of the output of monochromatic (254 nm) low-pressure UV lamps, O. Lawal, B. Dussert, C. Howarth, K. Platzer, M. Sasges, J. Muller, E. Whitby, R. Stowe, V. Adam, D. Witham, S. Engel, P. Posy, A. van der Pol, J. Bolton and M. Santelli, 2017, UVA News 19(1): 9–16.

Volume 19– 2017, Issue 2

- 190201 Novel use of UV-C: sanitation of fresh and fresh-cut produce, S.T. Lacasse and D.M. Holcroft, 2017, IUVA News 19(2): 4–9.
- 190202 Action spectra: A review, J.R. Bolton, 2017, IUVA News 19(2): 10–17.
- 190203 CIE 220:2016 – characterization and calibration method of UV radiometers, A. Gugg-Helminger, 2017, IUVA News, 19(2), 18–25.
- 190204 Panel discussion: fighting HAIs and MDROs with UV-C using industry, health care and federal collaboration, T.E. Cowan and R.A. Martinello, 2017, IUVA News 19(2): 26–27.

Volume 19– 2017, Issue 3

- 190301 Moving from non-potable to potable reuse: what do we do with UV?, J. Leng and C. Shen, 2017, UVA News 19(3): 4–12.
- 190302 Determination method for UV output power of low-pressure lamps under various application conditions, Z. He and Z. Fu, 2017, IUVA News 19(3): 13–20.

Volume 19– 2017, Issue 4

- 190401 UV AOPs for taste and odor removal: test to design to full-scale operation, J. Scheideler, 2017, IUVA News 19(4): 4–7.
- 190402 UV treatment of RO permeate for potable reuse at the Scottsdale Water Factory, K. Bircher, 2017, UVA News 19(4): 8–11.
- 190403 UV disinfection and Advanced Oxidation: a new way of tackling old problems, P. Bollman and J. McClean, 2017, IUVA News 19(4): 12–15.

Author Index

- | | | |
|--|--|-----------------------------------|
| Adam, V., 080103, 100103, 150201, 190102 | Bell, K., 140101, 140201, 150101, 180203 | Bujis, P., 150202 |
| Adams, D., 140201 | Bemus, R., 090401, 120402 | Bukhari, Z., 060202 |
| Adham, S., 050303 | Benjamin, L., 080102 | Burch, M., 110403 |
| Allan, B., 160405 | Bettles, T., 090201 | Cabaj, A., 020501, 050405, 060403 |
| Alpert, S., 140202, 180201 | Bilenko, O., 140202 | Cairns, B., 080104, 180301 |
| Anderson, H., 090402 | Bilenko, Y., 140202 | Cambridge, D., 090302 |
| Anderson, J., 080302 | Bircher, K., 130401, 170203, 180202, 190402 | Canerra, M., 130201 |
| Andrew, A., 170302 | Blatchley III, E.R., 080401, 090102, 100402, 180303 | Caron, E., 080104 |
| Armenzoni, M., 150204 | Boeker, M., 120402 | Casson, L.W., 110201 |
| Arnold, E., 080103, 150201 | Bollman, P., 1910403 | Chambers, J., 140201 |
| Awad, J., 080101 | Bolongaro, S., 070404 | Chamas, C.D., 140201 |
| Bachert, L., 150202 | Bolton, J.R., 040302, 060303, 120303, 160106, 170101, 180101, 180301, 190102, 190202 | Chen, Z., 130402 |
| Bahnfleth, W.P., 070102, 110202 | Borchers, H., 100102 | Chengyue, S., 100303 |
| Bandy, J., 130303, 170202 | Borsykowsky, M., 060204 | Chevrefils, G., 080104 |
| Banker, R.S., 150404 | Botero, L., 090302, 100302 | Chiu, K.-P., 050410 |
| Barbeau, B., 080104 | Bowker, C.K., 140202 | Clancy, J.L., 060203, 060301 |
| Bartow, P., 150301 | Brieden, K., 080103 | Clancy, M., 150102 |
| Bartow, S., 150301 | Brooks, T., 190101 | Cohrs, D., 140201 |
| Bazri, M., 110401 | | Collins, J., 090101 |
| Beck, S., 150301, 170101 | | Cosman, J., 020303 |
| | | Cotton, C., 050401, 090101 |

Cowan, T.E., 180401,
 190204
 Craik, S.A., 120303
 Curran, M., 150302
 Cushing, R., 080201

 da Silva, A., 140101, 180203
 Davison, A., 090301
 DeCarolus, J., 050303
 Deem, S., 090103
 Deere, D., 090301
 Delacroix, S., 130102
 Dotson, A.A., 110302
 Ducoste, J., 140202
 Dussert, B.W., 040602,
 100103, 130203, 180201,
 190102
 Dziejewski, D., 090103

 Eaton, C., 080302
 Edeback, J.M., 120404
 Edwards, E., 050406
 Elliott, T., 130202, 170102
 Endo, T., 050202
 Engel, S., 100103, 190102
 Enthoven, N., 120301
 Ervin, K., 170102

 Fahey, R.J., 060204
 Fallon, K., 060203
 Fang, J.Y., 130402
 Farabaugh, S., 100201,
 110402
 Fassbender, M., 180304
 Fazekas, C., 110403
 Ferran, B., 100303, 130203
 Ferrero, G., 150202
 Festger, A., 080301
 Fletcher, L.A., 060102
 Fong, F., 120302
 Foster, J., 090302, 100302
 Fuller, A., 100102, 160103
 Fu, Z., 190302

 Gaithuma, D., 090104,
 130303
 Gaska, I., 140202
 Gaska, R., 140202
 Gebhardt, J., 180304
 Giller, H., 110102
 Gilley, A., 090302, 100302
 Gilloghy, T., 050303
 Gloe, L., 120302
 Gobulukoglu, I., 040402
 Goin, J., 060104
 Gomez, M., 130403

 Gordon, P.E., 160201
 Gouws, P.A., 130101
 Gowman, L., 050409,
 180201
 Grant, J.-A., 160104
 Greene, D., 050404
 Guo, M.-T., 120403, 170301
 Gizman, S., 140403
 Gugg-Helminger, A., 190203

 Haider, T.M., 020501,
 060403
 Hallett, R., 050201
 Hammer, D., 140201
 Harbourne, D., 020306
 Hargy, T.M., 010302,
 060203, 120302, 160102
 Harris, T.R., 150301
 Haule, B., 150202
 Hawkins, T., 110404
 He, Z., 140401, 190302
 Heath, M., 170202, 190101
 Heering, W., 060401
 Heiaas, H., 130102
 Hernandez, M.T., 110202
 Hirata, T., 050202
 Hirschmann, G., 020501,
 060403
 Hobson, P., 110403
 Hofmann, R., 160104
 Holcroft, D.M., 190201
 Howarth, C., 100103, 190102
 Hoyer, O., 020101, 020502,
 050405
 Hu, H., 120403
 Hubel, R.E., 050411, 060201
 Huber, S., 050301
 Hughes, R., 160103
 Hulsey, R.A., 060402
 Hunter, G., 020301, 050302,
 090302, 100302, 110201,
 130201
 Hwang, T.-M., 160202

 Irigoyen, A., 180302

 Jacobs, B., 130202
 Jeyanayagam, S., 050407
 Jin, S., 100303
 Jones, D., 040401
 Jung, Y., 130302

 Kamiko, N., 090403
 Kamp, P.C., 100401
 Kang, J.-W., 130302, 160202
 Kashinkunti, R., 080101

 Ke, Q.-S., 120303
 Keegan, A., 090301, 110403
 Keen, O., 160105
 Keesler, D.E., 060204,
 100201
 Kelly, R.F., 100303
 Kennedy, M.D., 150202
 Kerschner, K., 150404
 Khan, A., 110102
 Kheyrandish, A., 180102
 Kim, S., 160202
 King, K., 120302
 Kliewer, A., 130201
 Klinger, C., 130201
 Kobylinski, E., 130201
 Koehorst, T.T.O., 150303
 Kolch, A., 060402, 090202
 Koutchma, T., 040502,
 050104, 070401, 100403,
 160203
 Kowalski, W.J., 030501,
 060103, 070102, 100404,
 110202
 Krasnochub, A.V., 070201
 Kroll, G.R., 100201, 110402
 Kruithof, J., 070203, 100401,
 150202, 160103
 Kumar, M., 050303
 Kwon, M., 160202

 Lacasse, S.T., 190201
 Landry, L., 080102
 Lariviere, C., 160101
 Larner, S., 130303
 Lawal, O., 090401, 100103,
 120302, 130203, 130303,
 140402, 150301, 170103,
 170201, 190102
 Lawryshyn, Y.A., 010301
 Leach, M., 080301
 LeChevallier, M.W., 060201,
 060202
 Lee, S.-T., 130302
 Lee, K.-H., 180304
 Lem, W., 040101, 120401,
 130301
 Leng, J., 190301
 Li, M., 160106
 Li, W., 160106
 Liao, H., 130402
 Ligés, A., 050412
 Liltved, H., 130102
 Linden, K.G., 060301,
 110302, 150301, 170101
 Liu, W., 090201, 130402
 Long, J., 050302

Lubitz, M., 070202
 Luongo, J., 140404

 Mackey, E.D., 090104
 Mackey, H.E., 050410,
 060402
 Macler, B., 050402
 Malayeri, A.H., 180301
 Malley, J.P. Jr., 080101,
 020302, 040301, 070301,
 080101, 100102, 130202,
 160103
 Malone, P., 070404
 Mann, M., 120404
 Marchini, D., 150204
 Marriott, J., 110201
 Martijn, B. J., 100401,
 160103
 Martin, R., 140103
 Martinello, R.A., 190204
 McClean, J., 190403
 McCuin, R.M., 060301
 McKeen, C.R., 050411
 Mellor, B., 030301
 Mesele, S., 150202
 Mielcke, J., 050103
 Miller, S. I., 140404
 Mistrick, R.G., 070102
 Mitch, W.A., 110302
 Mohseni, M., 080202,
 110103, 110401, 170204,
 180102, 180301
 Monis, P., 090301
 Montanari, R., 150204
 Montysko, M., 090103
 Morita, S., 050202
 Muller, J., 100103, 120401,
 130301, 190102
 Mutti, D., 090402
 Myers, A., 130202

 Narayanan, B., 080201
 Nardell, E.A., 060101
 Neemann, J.J., 060402
 Newberry, M., 140102
 Ni, M.L., 130402

 Oguma, K., 090403, 170204,
 180301
 Oliver, M., 050102
 Oppenheimer, J., 050303,
 050410
 Oppenländer, T., 070402
 Osgood, J., 150101
 Otaki, M., 090403
 Owen, M., 110404

 Pagan, J.G., 150301, 170103,
 170201
 Paltzer, K., 100103
 Parker, A., 180204
 Passantino, L., 050403,
 090101
 Payment, P., 080104
 Pepper, D.S., 050101
 Peters, D., 130103
 Pett, B., 090402
 Phelan, T., 130103
 Platzer, K., 190102
 Poon, J., 090301
 Popp, W., 050301
 Posy, P., 100103, 160204,
 190102
 Potorti, D., 060204
 Pribil, W., 020501
 Protasowicki, R.G., 040301
 Psaroudis, J. C., 150103,
 150404
 Pyo, T.S., 130302

 Qiang, Z., 160106

 Rapaka, M., 120402
 Reid, A., 050103
 Robinson, J., 070303
 Rokhina, E., 150302
 Ropic, P., 130302
 Royce, A., 080301

 Sakaji, R., 080201, 090103
 Sakamoto, G., 080104
 Salinas-Rodriguez, S.G.,
 150202
 Salveson, A., 080201,
 120402, 180204, 190101
 Santelli, M.J., 180101,
 190102
 Sarathy, S.R., 080202,
 110103, 110401
 Sasges, M., 070303, 080303,
 100103, 190102
 Schalk, S., 080103
 Scheible, K., 050405,
 060302, 090102, 100301,
 100303, 100402, 160204
 Scheideler, J., 180304,
 190401
 Schmidt, P., 140201
 Schowalter, L., 090201
 Schujman, S., 090201
 Schulz, C.R., 060204
 Shah, A.D., 110302
 Shama, G., 110301

 Shang, C., 130402
 Shannon, K., 120302
 Sharpless, C.M., 070302
 Shatalov, M., 140202
 Shen, C., 090102, 100402,
 160204, 190301
 Shin, K., 130302
 Shmia, S., 130203
 Singh, T., 150302
 Skirda, A., 060104
 Smart, J.A., 090201
 Smith, P.D., 060204, 110402
 Solari, F., 150204
 Sommer, R., 020501,
 060403, 180303
 Soroushian, F., 020304
 Sosnin, E., 070402
 Sotirakos, B., 030301
 Speer, S.E., 060105
 Stewart, C., 070401
 Stines, J., 160101
 Stowe, R.W., 040201,
 100103, 190102
 Sugimoto, H., 050202
 Suri, R., 150302
 Swaim, P., 050410, 090105,
 130202, 170102

 Taghipour, F., 180102
 Talbot, C., 130103
 Tazizawa, H., 050202
 Tobiessen, A., 130102
 Tohktuev, E., 060104
 Toivanen, E., 020601
 Townsend, B., 130103
 Tremblay, M., 100203
 Tryland, I., 130102

 Valade, M.T., 100201,
 110402
 van der Pol, A., 100103,
 190102
 van Eerden, G., 150303
 van Wyk, R., 130101
 Verhoeven, S., 180402
 Vermeulen, A.M.T.I., 070204
 Volkov, S., 110102
 Voronov, A., 080103
 Voytko, L., 130202

 Wait, I.W., 080401
 Warne, S., 02060
 Warren, W., 120302
 Weinberg, H.S., 110302
 Wekhof, A., 040501

Whitby, G.E., 030301,
040601, 060302, 100103,
130203, 190102
Wieringa, F.P., 070204,
080203
Williamson, C., 080301
Winnike, N., 080101
Witham, D., 030501, 040401,
100103, 190102
Witzke, H.-D., 080103
Wobma, P., 080102

Wright, H.B., 020303,
050404, 050405, 080104,
080302, 010101, 020305,
090104, 130103, 130303,
170202, 190101
Wright, I.P.D., 070404,
050406
Xie, R., 070403, 130403
Yeats, M., 100101

Yonkin, M., 050403, 080401
Yoon, Y., 130302, 160202
Zalia, J., 170102
Zeng, M.Z., 130402
Zepp, R.G., 070101
Zhang, Yongi, 150203
Zhang, Yiqing, 150203
Zhou, L., 150203
Zhu, Y., 160203

Subject Index

Action Spectra
190202

Advanced Oxidation
040101, 040302, 070203,
070302, 070402, 080103,
080202, 080301, 100202,
100401, 110101, 110103,
110401, 110404, 120301,
130401, 130402, 150302,
160103, 160104, 160105,
160202, 170203, 180204,
180304, 190401, 190402,
190403

Air Treatment
030501, 040401, 040402,
060101, 060102, 060103,
060104, 060105, 070102,
070201, 070402, 100404,
110102, 120303, 140403,
140404, 150102, 160101,
160201, 180401, 190204

Algae
110403

Antibiotics
170301

Aquatic systems
070101

Bacillus subtilis
150203

Ballast water
130102, 130302, 160405,
180202

Barnacle control
130403

Beverages
040502, 050104, 070401,
130101, 130101

Biodosimetry
010301, 020101, 030301,
030601, 100303, 160102

Blood
050101
Buildings
140404
Byproducts
020304, 110302

Case Studies
020601, 020602, 040101,
040301

Certification
140103, 170302

CFD
150204, 170203

Chemistry
070101

Chloramines
110302, 150103

Chlorine
080201, 110302, 150202

Cleaning
050102

Collimated Beam
170101, 180402

Control
060301, 140102, 180304

Cryptosporidium
010101, 010302, 020302,
050202, 050301, 060201,
060301, 080201, 130202,
140103

Design
170102

Disinfection
020301, 020302, 020303,
020601, 020602, 030501,
040301, 040401, 040402,
040501, 040502, 040601,
040602, 050101, 050103,
050104, 050201, 050202,
050301, 050302, 050303,

050401, 050402, 050403,
050404, 050405, 050406,
050407, 050408, 050409,
050410, 050411, 050412,
060101, 060102, 060103,
060105, 060201, 060202,
060203, 060204, 060301,
060302, 060402, 060402,
060403, 070201, 070202,
070301, 070401, 070402,
070403, 070404, 080101,
080102, 080103, 080104,
080201, 080202, 080302,
080401, 090101, 090102,
090103, 090104, 090105,
090202, 090301, 090302,
090401, 090402, 090403,
100102, 100103, 100201,
100301, 100303, 100403,
100404, 110101, 110102,
110102, 110201, 110202,
110301, 110302, 110402,
110403, 120301, 120302,
120303, 120401, 120403,
120404, 130101, 130102,
130103, 130201, 130202,
130203, 130301, 130302,
130303, 130402, 130403,
140101, 140102, 140103,
140201, 140202, 140403,
140404, 150101, 150102,
150103, 150202, 150203,
150301, 150302, 150404,
160101, 160102, 160103,
160104, 160201, 160203,
160204, 160405, 170101,
170103, 170201, 170202,
170204, 170301, 170302,
180201, 180202, 180203,
180204, 180301, 180302,
180303, 180401, 180402,
190403

Drinking Water	Knowledge Base	Photochemistry
010101, 010302, 020301,	150101	060303, 070101, 070302
020302, 020303, 020304,	Lamp fouling	Photolysis
020305, 020501, 020601,	080401, 100302	160106
020602, 030301, 030601,	Lamp life	Point-of-Use
040301, 040302, 050102,	050302	110404
050201, 050302, 050303,	Lamps	Power conditioning
060201, 060202, 060203,	030301, 060401, 070303,	100203
060204, 060402, 060402,	070402, 080103, 080303,	Protocol
060403, 070202, 070203,	090201, 100103, 140401,	130203, 170101, 170201,
070301, 070404, 080101,	140402, 150303, 180101,	180101, 180102, 070303,
080102, 080301, 100201,	190102, 190302	080303, 120303, 190102
100202, 100203, 100401,	Large systems	Pulsed UV
100402, 110103, 110201,	060204, 070404, 080101,	040501
130103, 130202, 130303,	080102, 080302	Quartz
150202, 160103, 160204	Low-pressure	150201
Dyed Microspheres	150202, 150303, 170101	Radiometer, 190203
100402, 110402	Maintenance	Reactor
Economics	050302	010301, 020101, ,
040602, 150302, 170102	Measurement	020502, 030601, 150204,
Efficiency	060104, 070303, 080303	160106, 170102
150303, 170203, 180101,	Medical	Reactor design
180302, 190102	180401, 190204	050201, 070401
Enterococci	Medium pressure	Reflection
130201	060105, 130302, 150201,	070102
Filtration	140402	Regulations
090302, 090402	Modeling	020305, 020501, 020502,
Foods	030501, 070102, 070302,	050401, 050402, 050403,
040501, 070401, 110301,	090102, 110202, 110401	050404, 050405, 050406,
100403, 160203, 190201	Monitoring	050407, 050408, 050409,
Fouling	060104	050410, 050411, 050412,
040601, 090302	MS2	060402, 060402, 060403,
Fundamentals	060203, 090301, 140103,	070202, 070204, 080203,
060303, 060401	160102, 180203	090101, 090103, 090104,
<i>Giardia</i>	NDMA	090105, 090202, 090403,
020302, 050301	040101	150404, 170202, 170302,
Groundwater	NOM	180201, 180202, 180203,
040301, 090402	110103, 110401	180204
Healthcare	Optical radiation	Relative humidity
150102, 190204	070204, 080203	060102
Herbicides & Pesticides	Optimization	Reliability
070203, 070302	150204	060201
History	Ozone	Reuse
020301, 060302	080102, 130402	050103, 070403, 080201,
Horticulture	Performance	090301, 120401, 120402,
120301	060303	120403, 120404, 140101,
HVAC	Photobiology	190101, 190301, 190402
040401	110202, 110403, 120302	Review
Hydrogen peroxide	Photocatalysis	080202, 180301, 190202
070203, 070302	110404	Risk analysis
Hydroxyl radical		060201
160105, 160202		

Safety
070204, 080203, 100102,
050404
Scale-up
130401, 160204, 170203
Sensors
130303, 060104, 140102
Sleeves
050102, 150201
Small Systems
170204, 070202, 070301
Solar
070101
Spray pads
150404
Standards and Guidelines
060103
Storm water
130301
Surface treatment
100101, 110102, 110301,
030501, 040501
Sustainable
110402
Swimming pools
110101, 150103, 150404

Taste and Odor, 190401
Temperature
140401
Terms and definitions
060303

Testing
100103, 140103, 140201,
170302, 180101, 180102,
180202
TiO₂
150203
Trickling Filter
100302
Tuberculosis
060101
Turbidity
050202

USEPA
060402, 140101, 180203
UV curing
020306, 040201

UV dose
010302, 020305, 020501,
030601, 080104, 130401
UV dose response
160102, 180301, 180303
UV equipment
080302
UV power
070303
UV-LEDs
090201, 110404, 140202,
150301, 170103, 170201,
180102
UV/H₂O₂
160202

Validation
010301, 020101, 020304,
020501, 020502, 030301,
050102, 050104, 050303,
050405, 060202, 060203,
060204, 090102, 090104,
090301, 090401, 100201,
100301, 100303, 100402,
110402, 120402, 130203,
130303, 160204
VBNC state
180303
Viruses
130202
VUV lamps
070402

Wastewater
020602, 040601, 040602,
050103, 050301, 050407,
060301, 060302, 070403,
090401, 100301, 100302,
100303, 110201, 120403,
130201, 130203, 130301,
140201, 160104, 180302,
190101, 190301, 190402
Water Quality
060202
Wavelength
140402